











Tatu, Spanish for armadillo, is a friendly mammal with a shell on its back that protects it when it rolls up into a ball. André Ricard had the idea for Tatu during a transoceanic flight; while reading about Argentinean wildlife, he observed that the light above his seat did not disturb his sleeping wife who was sitting next to him.

To comemorate the 90th birthday of André Ricard, a key figure in the history of industrial design in Spain, we present Petit Tatu, a smaller, wall-mounted version of the lamp. Like its desktop equivalent, this wall light's ability to fully rotate and its easy adjustability —of both light intensity and spot size—will delight users.

On its own or as part of a series, in white or red, Petit Tatu is perfect for corridors and to direct light wherever it is needed.

General description:

Gyratory structure manufactured in red or S&C white ABS plastic. Adjustable focal length from 30° to 50°. Suitable for Outlet Box (UL market).

Approximate weight (unpacked):

0,6 Kg / 1.3 lb

Technical information:

Light source included (dimmable).

LED module Rated input wattage: 6 W Operating current: 350 mA Colour Temp.: 2.700 K CRI: 90

Lifetime: 40.000 h

Luminous flux: 171 lm

Built-in dimmable LED.
Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).
Energy efficiency class (E.E.C): A++... A.
Lamp suitable only for indoor use.

Input voltage: 100 ~ 230 Vac.


(50 Hz / 60 Hz). According to destination.

Petit Tatu


André Ricard. 2019 Wall lamp



Beam 30°



Beam 50°



Regulations:

CE

UNE-EN 60598 UNE-EN 55015 UNE-EN 60529 UNE-EN 61000-3-2

UL UL listing in progress Dry location only UL-1598 E33677

Maintenance:


Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

Others:

The lamp is delivered in one package.

The assembly instructions are delivered with the product.

Model:



 ϵ



Collection:

Table lamps



Floor lamps



Wall lamps

Petit Tatu



Tatu Alta Tatu